



Horizontal Sheer Shades

EXPECTATIONS GUIDE



What to expect

- Horizontal Sheer Shades are crafted with care using advanced textile technology. As with all fabrics, you may notice slight variations in appearance. These are perfectly normal and part of the natural character of the material, not defects
- Slight wrinkles, puckers, or other variations may appear and are inherent to this product
- If shadings are ordered at the same time, with identical color and height, vane alignment can be guaranteed within ¼"; this must be requested when ordering
- To retain their dimensionality, Horizontal Sheer Shade vanes are not designed to close tightly (most noticeable at the bottom of the shade); however, vane overlap ensures that privacy is not compromised
- Precautions should be taken to reduce exposure to harsh environmental elements, such as rain, salt air, heavy winds, etc. Exposing the shades to these elements via an open window will accelerate fabric deterioration over time
- Vanes provide approximately 1 ¾" view-through when open
- For maximum view-through, the bottom rail can pivot upward so that the underside is somewhat visible when the vanes are fully open



Horizontal Sheer Shade vanes do not form a perfect seal when closed. This is most noticeable at the bottom of the shade. However, vane overlap ensures privacy.


Slight variations on Horizontal Sheer Shades



Wrinkles may appear as a slight depression in the smoothness of the fabric surface. In the evening, with the vanes closed, reflective light may show slight puckers in the fabric.



Puckered, dimpled, or pinched fabrics are caused by the shrinkage or stretching of one layer among multiple layers of fabric.



Worm tracks may appear as a slight crease that travels horizontally near the front of the vane, typically seen on the face sheer and in light-dimming fabrics.




Slight waviness in the vane material may be visible when the vanes are open and light passes through the shading.

Product care

FABRIC LEVELING

- To eliminate fabric skew, check that the shade is mounted level; move or shim the mounting brackets as needed
- Use the leveling feature of the QMT® 3 Shade Motor Series Architectural Hardware brackets to level the shade first, if required
- Use a penny to release the clips securing the bottom rail balance weight; move the weight 1" toward the end where the fabric is gathering, and then lock the balance weight at both ends
- Check the adjustment and readjust as necessary



ROUTINE CLEANING

- Dust the front and back sheers with a feather duster or use a hand-held vacuum with a soft brush head on low suction
- Blow out dirt and debris from between the vanes using compressed air or a hand-held hair dryer on the **cool** setting (**never** warm or hot)



FASCIA CLEANING

- Lightly dust or vacuum using low suction
- For further cleaning, hand wash using a sponge or delicate cloth and mild soap solution
- Never immerse the fascia in solution
- Handle with care, as you would any fine fabrics

OTHER CLEANING OPTIONS

- Professionally clean ultrasonically, or with the injection/extraction method (dry method only)
- Important: Do not clean the fabric using electrostatic wipes such as Swiffer® or Pledge Grab-It®
- Light Dimming fabrics can **not** be ultrasonically cleaned

Crestron Horizontal Sheer Shades

13 KEY POINTS

- Uses QMT 3 Shade Motor Series Architectural Hardware
- Mounting Options: Horizontal Sheer Shades can be installed in three ways — inside mount, outside mount, or pocket mount — to suit your window style and preferences
- Fascia with Fabric Insert (optional): For inside or outside mounts, an optional fascia is available featuring a color-coordinated fabric insert for a polished, seamless look
- Available for Cresnet® communications networks or InfiNET EX® wireless communications networks
- 26 fabrics: 13 translucent, 13 light-dimming. The light-dimming fabrics are engineered to block more light than translucent fabrics, however, they are not designed for complete blackout
- Light gaps are the same as traditional roller shades – $\frac{3}{4}$ "
- Telescoping adjustments are done at the bracket (like a normal roller shade), but the hembar has a sliding weight bar to adjust for telescoping as well
- Fabric vanes measure 3 inches, optimizing both light control and view-through clarity
- Hembar and fascia are available in White, Almond, Gray, Brown, and Black and are selected by the customer
- Right Size Guarantee does not apply to Horizontal Sheer Shades
- Width is measured bracket-to-bracket or width of the fabric
- Height is measured from the **top** of where the bracket will be mounted to the window sill (or wherever the closed limit will be). Measure carefully — unlike a regular roller shade where a few inches can be added to allow for variations or errors, the height measurement for Horizontal Sheer Shades **must be exact**
- Horizontal Sheer Shades are available with a manual clutch and can be upgraded to motorized at a later date

