


IVA-CMT-BRKTJ-1B

Crestron 1 Beyond J-Mount Ceiling Bracket



Width 5.12 in. (130 mm)
(bracket diameter)

Depth 9.12 in. (232 mm)

Weight

1.74 lb (0.79 kg)

Models

IVA-CMT-BRKTJ-1B-B

Crestron 1 Beyond J-Mount Ceiling Bracket, Black

IVA-CMT-BRKTJ-1B

Crestron 1 Beyond J-Mount Ceiling Bracket, White

This product may be purchased from select authorized Crestron dealers and distributors. To find a dealer or distributor, please contact the Crestron sales representative for your area. A list of sales representatives is available online at www.crestron.com/How-To-Buy/Find-a-Representative or contact us for additional information by visiting www.crestron.com/contact/our-locations for your local contact.

The original language version of this document is U.S. English. All other languages are a translation of the original document.

The product warranty can be found at www.crestron.com/warranty.

The specific patents that cover Crestron products are listed online at www.crestron.com/legal/patents.

Certain Crestron products contain open source software. For specific information, please visit www.crestron.com/opensource.

Specifications are subject to change without notice.

©2025 Crestron Electronics, Inc.

The [IVA-CMT-BRKTJ-1B](#) J-Mount Ceiling Bracket provides an easy mounting solution for [IV-CAM-P20](#), [IV-CAM-P12](#), [IV-CAM-I20](#), and [IV-CAM-I12-B](#) cameras. The IVA-CMT-BRKTJ-1B can be used in spaces where the camera has to be suspended from the ceiling to achieve optimal distance from the presentation area.

Specifications

Construction

Material Metal


Dimensions

Height to Camera Plate (adjustable) Minimum 22.5 in. (572 mm); Maximum 38.5 in. (978 mm)

Height Top to Bottom (adjustable) Minimum 28.0 in. (711 mm); Maximum 44.0 in. (1118 mm)

IVA-CMT-BRKTJ-1B

Crestron 1 Beyond J-Mount Ceiling Bracket



IVA-CMT-BRKTJ-1B

Crestron 1 Beyond J-Mount Ceiling Bracket

