

GLEX-FT-HC

Feed-Through Enclosures, Hinged Cover

- *Feed-through type enclosures*
- *Houses 120 V or 277 V field-replaceable dimming and switching modules (sold separately)*
- *24, 56, or 80 circuits per cabinet*
- *Hinged cover*
- *Surface- and flush-mountable*
- *Intertek® Listed for US & Canada*

Crestron® GLEX-FT-HC feed-through enclosures house Crestron lighting control modules (sold separately).

Field-Replaceable Lighting Control Modules

The GLEX-FT-HC enclosures house Crestron dimming modules, switching modules, high-inrush switching modules, control processors, network bridges, and power supplies (all sold separately). All modules in GLEX-FT-HC enclosures are field-replaceable.

Hinged and Vented Cover

The GLEX-FT-HC has a hinged cover that swings open after Philips screws are removed from the front of the device. Vents in the cover allow for silent, air-cooled device operation.

Specifications

Circuits per Enclosure

GLEX-FT-24-HC	24
GLEX-FT-56-HC	56
GLEX-FT-84-HC	80

Environmental

Temperature	32° to 104° F (0° to 40° C)
Humidity	10% to 90% RH (noncondensing)

Construction

Enclosure	16-gauge galvanized steel
Cover	16-gauge galvanized steel; Hinged; Vented
Mounting	Surface mount; Flush mount

Dimensions

GLEX-FT-24-HC	Height: 24.25 in. (616 mm) Width: 15.13 in. (384 mm) Depth: 4.19 in. (107 mm)
GLEX-FT-56-HC	Height: 39.63 in. (1007 mm) Width: 15.13 in. (385 mm) Depth: 4.19 in. (107 mm)
GLEX-FT-84-HC	Height: 62.75 in. (1594 mm) Width: 15.13 in. (385 mm) Depth: 4.19 in. (107 mm)

Compliance

Intertek® Listed for US & Canada;
Empty enclosure is designed to meet UL50 & CSA C22.2 No 94.1

GLEX-FT-HC

Feed-Through Enclosures, Hinged Cover

Models

GLEX-FT-24-HC

Enclosure, Feed-Through, 24 Circuits, Hinged Cover

GLEX-FT-56-HC

Enclosure, Feed-Through, 56 Circuits, Hinged Cover

GLEX-FT-84-HC

Enclosure, Feed-Through, 80 Circuits, Hinged Cover

Available Accessories

DIN-AP3

DIN Rail 3-Series® Automation Process

DIN-CENCN-2-POE

Ethernet to Cresnet® Network Bridge with PoE

DIN-PWS60

DIN Rail 60 Watt Cresnet® Power Supply

GLXX-2DIM8

8 Channel Dimmer Module

GLXP-DIMFLV8-LP

8 Channel 0-10 V Dimmer Module, Low Profile

GLXP-HSW12-LP

12-Channel High-Inrush Switch Module, Low Profile

GLXP-SW16-LP

16-Channel Switch Module, Low Profile

This product may be purchased from select authorized Crestron dealers and distributors. To find a dealer or distributor, please contact the Crestron sales representative for your area. A list of sales representatives is available online at www.crestron.com/How-To-Buy/Find-a-Representative or by calling 855-263-8754.

This product is covered under the Crestron standard limited warranty. Refer to www.crestron.com/warranty for full details.

The specific patents that cover Crestron products are listed online at patents.crestron.com.

Certain Crestron products contain open source software. For specific information, please visit www.crestron.com/opensource.

Crestron, the Crestron logo, 3-Series, and Cresnet are either trademarks or registered trademarks of Crestron Electronics, Inc. in the United States and/or other countries. Intertek is either trademark or registered trademark of Intertek Group in the United States and/or other countries. Other trademarks, registered trademarks, and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Crestron disclaims any proprietary interest in the marks and names of others. Crestron is not responsible for errors in typography or photography.

Specifications are subject to change without notice.


©2025 Crestron Electronics, Inc.

Rev 07/22/25

GLEX-FT-HC

Feed-Through Enclosures, Hinged Cover


GLEX-FT-24-HC



GLEX-FT-HC

Feed-Through Enclosures, Hinged Cover



GLEX-FT-56-HC



GLEX-FT-HC

Feed-Through Enclosures, Hinged Cover

GLEX-FT-84-HC



GLEX-FT-HC

Feed-Through Enclosures, Hinged Cover

GLEX-FT-84-HC (Continued)

