




The Crestron® ZUML-HUB4-SWPOE-26 is a preassembled lighting control cabinet for use with a Crestron Zūm® lighting system. It contains a ZUM-HUB4 Zūm hub, PW-2420RU power pack, and CEN-SWPOE-26 26-port PoE+ switch, mounted in a DIN-EN-3X18 enclosure. It provides a convenient solution for networked commercial lighting applications.

For additional details and specifications, refer to the ZUM-HUB4, PW-2420RU, CEN-SWPOE-26, and DIN-EN-3X18 product pages.

Specifications

Power

Main Power 100–240V

Environmental

Temperature 41° to 104°F (5° to 40°C)

Humidity 10% to 90% RH (noncondensing)

Dimensions

Height 24.25 in. (616 mm)

Width 16.10 in. (409 mm)

Depth 4.43 in. (112 mm)

Compliance

Intertek® Listed for US & Canada;

ZUML-HUB4-SWPOE-26 systems are fully assembled in Crestron's ETL certified panel shop are UL508A Listed.

Assembly

The individual components may also be ordered and shipped unassembled, requiring on-site assembly and any applicable certifications and inspections.

Model

ZUML-HUB4-SWPOE-26

Zūm® Lighting Control Processor Panel with 26-Port PoE Network Switch

Included Accessories

CEN-SWPOE-26

26 Port PoE+ Network Switch

Included Quantity: 1

PW-2420RU

Desktop Power Pack, 24VDC, 2.5A, 2.1 mm

Included Quantity: 1

ZUM-HUB4

4-Series® Control Processor for Zūm® Lighting Control System

Included Quantity: 1

DIN-EN-3X18

Enclosure for DIN Rail Devices, 3 DIN Rails, 18 M Wide

Included Quantity: 1

Available Accessories

For a list of available accessories, visit the ZUML-HUB4-SWPOE-26 product page.

Zūm® Lighting Control Processor Panel with 26-Port PoE Network Switch

The original language version of this document is U.S. English.
All other languages are a translation of the original document.

This product may be purchased from select authorized Crestron dealers and distributors. To find a dealer or distributor, please contact the Crestron sales representative for your area. A list of sales representatives is available online at www.crestron.com/How-To-Buy/Find-a-Representative or contact us for additional information by visiting www.crestron.com/contact/our-locations for your local contact.

The product warranty can be found at www.crestron.com/warranty.

The specific patents that cover Crestron products are listed online at www.crestron.com/legal/patents.

Certain Crestron products contain open source software. For specific information, please visit www.crestron.com/opensource.

Crestron, the Crestron logo, 4-Series, and Zūm are either trademarks or registered trademarks of Crestron Electronics, Inc. in the United States and/or other countries. UL is either a trademark or registered trademark of Underwriters Laboratories, Inc. in the United States and/or other countries. Other trademarks, registered trademarks, and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Crestron disclaims any proprietary interest in the marks and names of others. Crestron is not responsible for errors in typography or photography.

Specifications are subject to change without notice.

©2025 Crestron Electronics, Inc.

Rev 05/30/25

ZUML-HUB4-SWPOE-26



Zūm® Lighting Control Processor Panel with 26-Port PoE Network Switch

